

THÈSE DE DOCTORAT

DE L'ÉTABLISSEMENT UNIVERSITÉ DE TECHNOLOGIE DE BELFORT-MONTBÉLIARD

École doctorale n°37

Sciences pour l'Ingénieur et Microtechniques

Doctorat d'Intelligence Artificielle

par

FIRSTNAME LASTNAME

Title

Subtitle

Thèse présentée et soutenue à Belfort, le September 17, 2012

Composition du Jury :

HULK INCREDIBLE	Professor at Gotham City University	President
	Secondary comment	
AMERICA CAPTAIN	Professor at USA University	Reviewer
MAN SUPER	Professor at Gotham City University	Examiner
Mr. MAN BAT	Professor at Gotham City University	Thesis Director
Mr. WOLVERINE THE	Professor at Gotham City University	Co-Director
Ms. MAN PAC	Professor somewhere	Invited

ACKNOWLEDGEMENTS

CONTENTS

Contents	v
I Context and Issues	1
1 Introduction	3
1.1 Context	3
1.2 Thesis Objectives	3
1.3 Thesis Outline	4
2 State of the Art	5
2.1 Propose a Definition	5
2.2 Include a Figure	5
2.3 Include a Table	6
2.3.1 Example 1	7
2.3.2 Example 2	7
2.4 Inline Enumeration	7
2.5 Description	7
2.6 Enumeration	8
2.7 Format Text	9
2.8 Mathematical Symbols	9
2.9 Theorems	9
2.10 Conclusion	10

II Contribution	11
3 Contribution	13
3.1 Introduction	13
3.2 Details of the Contribution	13
3.3 Conclusion	13
4 Implementation	15
4.1 Introduction	15
4.2 Presentation of the Implementation	15
4.3 Experimental Results	15
4.4 Conclusion	15
III Conclusion	17
5 General Conclusion	19
5.1 Summary	19
5.2 Perspectives	19
List of Figures	21
List of Tables	23
List of Definitions	25
IV Appendices	27
A First Appendix Chapter	29
B Second Appendix Chapter	31

RÉSUMÉ LONG



You must write here a long summary of your PhD thesis in French language. According to the SPIM rules, the length of this long summary must be of minimum 3 pages for people who is not native-french speaker, and of minimum 20 pages for who is native-french speaker.

ACRONYMS

- **MAS:** Multi-Agent System



CONTEXT AND ISSUES

1

INTRODUCTION

This is an acronym: Multi-Agent System (MAS). This is the same acronym: MAS.

Research Question 1 (RQ1) – a name

Description of the research question.

Objective 1 (O1) – a name

Description of the objective.

Contribution 1 (C1) – a name

Description of the contribution.

1.1 Context

This template describes some elements that can help you write your thesis. A typical outline for a scientific thesis is also proposed.

1.2 Thesis Objectives

The main objective of your thesis can be highlighted using the environment below:

Propose a model that does something!

1.3 Thesis Outline

2

STATE OF THE ART

To help you write your thesis, several tools are described below. Many other macros are available in the \LaTeX package set `tex-upmethodology` on which the style of this thesis is based. Examples include environments for automatically creating subfigures and macros for defining unnumbered sections that appear in the table of contents.

2.1 Propose a Definition

Definition 1 illustrates the proposal of a definition.

Definition 1: A Thesis

Document presented to a university jury for obtaining a doctorate.

2.2 Include a Figure

Including a figure is done using standard \LaTeX tools (environment `figure`, `\includegraphics`, etc.).

We propose a macro to simplify the inclusion of a figure.

```
\mfigure[position]{options}{filename}{title}{labelid}
```

This is equivalent to (note the addition of `fig:` as a prefix to the label):

```

\begin{figure}[position]
  \begin{center}
    \includegraphics[options]{filename}
    \label{fig:labelid}
    \caption{title}
  \end{center}
\end{figure}

```

Referencing the figure can be done using the macros:

```

\figref{labelid}
\figpageref{labelid}

```

2.3 Include a Table

Including a table is done using standard \LaTeX tools (environment `table`, environment `tabularx`, etc.).

We propose a macro to simplify the inclusion of a table.

```

\begin{mtable}[options]{width}{numberofcolumns}{columnspec}{title}{labelid}
  content
\end{mtable}

```

This is equivalent to (note the addition of `tab:` as a prefix to the label):

```

\begin{table}[options]
  \begin{center}
    \begin{tabularx}{width}{columnspec}
      content
    \end{tabularx}
    \label{tab:labelid}
    \caption{title}
  \end{center}
\end{table}

```

Referencing the table can be done using the macros:

```

\tabref{labelid}
\tabpageref{labelid}

```


2.3.1 Example 1

Table 2.1 is an example of a table with 4 columns, with a title added at the top.

Col1	Col2	Col3	Col4
a	b	c	d
e	f	g	h

Table 2.1: Table Title

2.3.2 Example 2

Table 2.2 is an example of a table with 5 columns, with the table title also added at the top.

Col1	Col2	Col3	Col4	Col5
a	b	c	d	x
e	f	g	h	z

Table 2.2: Table Title

Source: This is a source

2.4 Inline Enumeration

You can enumerate elements in a paragraph: (i) element 1, (ii) element 2, (iii) element 3; and continue your text.

2.5 Description

The description environment provided by \LaTeX has been extended:

- **Element 1:** Text 1
- **Element 2:** Text 2
- **Element 3:** Text 3

Omitting an item header is not a problem:

- **Element 1:** Text 1
- Text 2
- **Element 3:** Text 3

2.6 Enumeration

The `enumerate` environment provided by \LaTeX has been extended to combine the advantages of the `enumerate` and `description` environments in a single \LaTeX environment:

- 1. Element 1:** Text 1
- 2. Element 2:** Text 2
- 3. Element 3:** Text 3

You can specify the type of enumeration by switching to Arabic numerals:

- 1Element 1:** Text 1
- 2Element 2:** Text 2
- 3Element 3:** Text 3

Or in Roman numerals:

- iElement 1:** Text 1
- iiElement 2:** Text 2
- iiiElement 3:** Text 3

Or in alphabetical numerals:

- aElement 1:** Text 1
- bElement 2:** Text 2
- cElement 3:** Text 3

Omitting an item header is not a problem:

1. **Element 1:** Text 1

2. Text 2

3. **Element 3:** Text 3

2.7 Format Text

You can place text ^{as a superscript}. You can place text _{as a subscript}.

You can highlight **text**, or highlight it **even more**.

You can format people's names uniformly, for example STÉPHANE GALLAND (other macros are available).

2.8 Mathematical Symbols

- \mathbb{R}
- \mathbb{N}
- \mathbb{Z}
- \mathbb{Q}
- \mathbb{C}
- $\mathcal{P}a$
- $\text{sgn}(a)$
- $\min(a, b)$
- $\max(a, b)$

2.9 Theorems

You can define your own environment to describe a theorem, lemma, etc. This type of environment must be declared in the preamble of your document with the macro `\declareupmtheorem` (see the example in the preamble of this template).

My Theorem 1: Some Theorem

This is the description of this theorem.

This is my optional source

At the end of your document, you can then add a chapter listing the theorems present in your document: `\listofmytheorems`



CONTRIBUTION

3

CONTRIBUTION

3.1 Introduction

3.2 Details of the Contribution

3.3 Conclusion

4

IMPLEMENTATION

4.1 Introduction

4.2 Presentation of the Implementation

4.3 Experimental Results

4.4 Conclusion



CONCLUSION

5

GENERAL CONCLUSION

5.1 **Summary**

5.2 **Perspectives**

LIST OF FIGURES

LIST OF TABLES

2.1	Table Title	7
2.2	Table Title <i>Source:This is a source</i>	7

LIST OF DEFINITIONS

1 A Thesis 5

IV

APPENDICES



FIRST APPENDIX CHAPTER

B

SECOND APPENDIX CHAPTER

Title: Title

Keywords: Keyword 1, Keyword 2

Abstract:

[illegible]

abstract in English. This is the abstract in English.
This is the abstract in English. This is the abstract in
English. This is the abstract in English. This is the
abstract in English. This is the abstract in English.
This is the abstract in English.

Titre : Titre en francais

Mots-clés : Mot-clé 1, Mot-clé 2

Résumé :

Ceci est un résumé en français. Ceci est un résumé
en français. Ceci est un résumé en français. Ceci
est un résumé en français. Ceci est un résumé en
français. Ceci est un résumé en français. Ceci est un
résumé en français. Ceci est un résumé en français.
Ceci est un résumé en français. Ceci est un résumé

en français. Ceci est un résumé en français. Ceci
est un résumé en français. Ceci est un résumé en
français. Ceci est un résumé en français. Ceci est un
résumé en français. Ceci est un résumé en français.
Ceci est un résumé en français. Ceci est un résumé
en français. Ceci est un résumé en français.